

Formax FD 6104 Low-Volume Automatic Folder and Inserter

Product Spec Sheet



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573



FD 6104

FOR FOLDING & INSERTING



- 2 1/2 stations for inserting sheets plus BREs
- Produces up to 1,350 filled envelopes/hour
- Color touchscreen control panel
- Up to 15 programmable jobs
- Top loading feeders

FORMAX[®]


The **FD 6104 Low-Volume Inserter** features a **full-color touchscreen control panel** and **wizard-based software** to guide operators through setup and operation. It provides quick access to saved jobs, right on the home screen, while bold icons indicate the status of each feeder. Users can **program up to 15 jobs** for instant, one-touch operation. Standard features include **2 fully-automatic sheet feeders**, **1 automatic insert/BRE feeder**, **double document detection**, **cascade mode**, and **ECO mode**. It processes **documents up to 14" in length**, producing **up to filled 1,350 envelopes per hour**. With a small footprint, and affordable price point, it's ideal for any size organization to enjoy the benefits of automated folding and inserting.



Intuitive Color Touchscreen
Graphical interface for quick and easy setup with job list on the home screen



Easy Load Feeders
Top loading with adjustable side guides



Adjustable Catch Tray
Holds up to 100 envelopes, #10 and 6" x 9.5"



Dedicated BRE/Insert Feeder
Fold and/or insert BREs or small inserts



Optional Fold-Only C-Fold Kit
Creates C-folded pieces which don't require inserting into an envelope

STANDARD FEATURES

- Color touchscreen
- Up to 1,350 filled envelopes per hour
- Up to 15 programmable jobs
- Dedicated BRE/insert feeder
- Adjustable catch tray
- Clamshell design
- Easy load feeders
- Accumulates sheets before folding
- Double document detection
- C, V, Double Parallel, no fold
- Fold without inserting
- Folds up to 5 sheets
- Resettable counter
- ECO mode
- Daily mail mode
- Seal and non-seal capabilities
- Cascade mode

OPTIONS

- Fold-Only C-Fold Kit

SPECIFICATIONS

Feeder Capacity	Up to 100 sheets in each sheet feeder Up to 100 inserts in the insert feeder Up to 100 outgoing envelopes
Fixed Speed	Up to 1,350 pieces per hour
Duty Cycle	Up to 5,000 pieces per month
Folding Capacity	Up to 5 sheets at once
Programmable Jobs	Up to 15
Paper Size	5.6" - 8.9" W x 7" - 14" H (142 - 226mm W x 178 - 356mm H)
Paper Weight	18 - 30 lbs (68 - 113gsm)
Insert/BRE Size	5.6" - 8.9" W x 3.5" - 5.9" H (142 - 226mm W x 89 - 150mm H)
Outgoing Envelope Size	8.8" - 9.5" W x 4.1" - 6" H (224 - 241mm W x 104 - 152mm H)
Dimensions w/o Catch Tray	26" L x 17" W x 22" H (66 x 43 x 56cm)
Weight	82 lbs (37kg)
Voltage	120 Volts AC 50/60Hz
Safety Certifications	UL approved