

Formax FlashGuard 13R10 13" Heavy-Duty 10-Roller Pouch Laminator

Product Spec Sheet



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573



FLASHGUARD 13R10


HEAVY DUTY PROFESSIONAL LAMINATOR



- Laminates pouches up to 13" wide
- 10 heavy duty rollers
- Variable temperature and speed
- LCD control panel
- All metal, stay-cool housing

FORMAX®

The **FlashGuard 13R10 Heavy-Duty Laminator** is ideal for print shops, large school systems, universities, and offices. With a **rugged metal housing that stays cool to the touch**, it easily laminates and protects photos, documents, signs, menus, IDs, and more. The 13R10 features a **10 heavy-duty roller system** for fast, reliable sealing, as well as **variable temperature and speed settings**. Operation is simple using the **graphics-based LCD control panel**, and users can even store up to **2 custom jobs**. It handles pouches up to 13" wide, up to 14 mil, with **maximum laminating thickness of up to 3mm**. It ships with a **starter pack of 3 mil laminating pouches**. The FlashGuard 13R10 is a durable, affordable, high-quality laminating solution.



STANDARD FEATURES	OPTIONS	SPECIFICATIONS	
10 heavy duty rollers	FG-3 Premium 3 mil Hot Lamination Pouches, pack of 100	Max Pouch Width	Up to 13" (330mm)
Rugged all-metal, cool-touch housing	FG-5 Premium 5 mil Hot Lamination Pouches, pack of 100	Max Speed	Up to 141" per minute (3,600mm/min)
Graphics-based LCD status screen		Max Pouch Thickness	Up to 14 mil (350 mic)
Laminates pouches up to 13" wide		Max Laminating Thickness	Up to .118" (3mm)
Variable temperature and speed		Number of Rollers	10 (6 heated, 2 cooling, 2 output)
Cold laminating function		Temperature	Up to 320 degrees F (160 C)
Quick reference heat/speed chart		Temp & Speed Control	Variable
Laminates up to 141" per minute		Preheating Time	6 minutes
Stores up to 2 custom jobs		Dimensions	21" L x 10.6" D x 5" H (536 x 271 x 112mm)
Includes 3 mil pouch starter pack		Weight	57 lbs (26kg)
		Power	1,500 watt 110-120V, 50/60Hz, 15A