

GFP 44TH 44" Top Heat Roll Laminator and Board Mounter

Product Spec Sheet



Provided by

MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573



Gfp **Graphic Finishing**
partners

Where Finishing Comes First.

Gfp 44TH

Top Heat Laminator and Board Mounter

For producing signs and displays, it's hard to beat the ease and affordability of the Gfp 44 Laminator and Board Mounter. Its 44" width is ideal for POP, trade show displays, and graphic mounting. Top roller heating allows mounting and overlaminating in a single pass.

AFFORDABLY PRICED

Low cost for short run applications

SIMPLE TO OPERATE

LED displays and presets

FLEXIBLE

Mount, Laminate, Pre-coat

TOP HEATER

Laminate and mount in one pass

SMALL FOOTPRINT

Rolls away when not in use



laminating • mounting • board pre-coating


Laminate and mount in a single pass.

Mount and laminate with Pouch boards; apply printed adhesive-back vinyl directly to mounting boards; or apply PSA films, pre-mask tapes, and adhesives to any surface. The Gfp 44 produces consistent professional results every time.



- Labor saving Quick-Grip film shafts
- Photoelectric eye for safety
- Fold-down rear exit tray
- 5-position pressure adjustment
- 3.5" diameter rollers
- Chain drive rewind
- Sleep & Auto-Off Energy Saver
- 32.5" output height
- Bottom Media Unwind Bracket

MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920



Mount from rolls to boards



Mount images to create signs

Rugged Design
Professional Quality
Proven Performance
Economically Priced

APPLICATIONS

- Signs
- Posters
- POP Displays
- Trade show displays
- Single side lamination
- Graphic mounting
- Photo mounting
- Floor graphics
- Window graphics
- Colored Vinyl
- Pre-mask
- Mounting boards
- Pouch boards
- PSA film

Warranty:

1 year parts & labor.
Installation is available.

cTUVus
Safety
Approval



Your local dealer is:

Gfp 44TH	
Laminating Width	44"
Roller Diameter	3.5"
Speed (feet/minute)	0-5 ft/min
Main Rollers	Silicon rubber
Roller Gap	1/4"
Pressure/Gap Adjustment	5 presets
Energy Saver Sleep & Auto-Off	Included
Max. Temperature	302°F (LED display)
Heating Method	Quartz heater
Supply Unwind	Quick-Grip Top
Liner Rewind	Quick-Grip Top
Tension Adjustment	Single knob
Power Supply	120v 12A
Power Consumption	1440 W
Foot Pedal	Included
Stand w/ Casters	Included
Net Weight w/ Stand	205 lbs.
Dimensions	57" x 18" x 51.5"
Shipping Weight/Dimensions	323 lbs. / 60" x 24" x 34"

MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920

