


Parts List

Tools Required


- Rubber Mallet

NOTICE:


Leg lengths of leg **E** may be shorter than leg **F**



E x4




F x4



A x1


C x1

B x1




D x4

1




2


Install optional cabinet pack / pullout shelf / electrical assembly after step 1




3




4




5




6



Parts List



FR x1



Tools Required


- Phillips Screwdriver



A x4


NOTICE:

Size and style of the plastic ribbed shelf may vary by model number.



1

Take the top shelf of your plastic cart and lay it flat. Collect parts: **FL**, **FR** & **A**. Align **FR** & **FL** to the outer holes at the top of the shelf. Take screw **A** and fasten with a screwdriver, do not tighten fully until keyboard is attached.





2

Collect parts: **H**. Align the pullout shelf **H** runner so that the runner snaps into place into the **FL** & **FR** brackets. Pull the shelf out to make sure it is fully seated. Tighten screws **A**. Pullout keyboard shelf assembly is now complete.

www.luxorfurn.com
www.hwilson.com




LP + LE Electrical Assembly Instructions

Parts List



Tools Required

- Philips Screwdriver



1

Attach electric outlet **F** to top shelf **A**, secure with L bracket **G** and cable lock **J**. Loop outlet cable **F** through cable lock **J** and the inserts on shelf **A**. Screw L bracket **G** and cable lock **J** onto top shelf **A** with screw **H** and a philips screwdriver.