Formax ReadyCombE Electric Comb Binding Machine

Product Spec Sheet



Provided by

MyBinding.com®

When Image Matters.

Call Us at 1-800-944-4573

ReadyCombE

ELECTRIC PUNCH AND MANUAL COMB BINDING SYSTEM



PREMIUM OFFICE COMB PUNCH & BINDING SYSTEM



Convenient foot pedal activates punch mechanism

- Electric punch and manual comb binding system
- Binds up to 480 sheets
- Hardened punch pins for durability
- Heavy duty construction and compact design
- Closure control system

FORMAX®

The **ReadyCombE Electric Punch and Manual Comb Binding System** is designed to produce bound documents quickly and easily. With comb bindings, pages can be added or removed, without damage to the document or the binding itself. Utilizing an **electric foot pedal**, the **precision vertical punching system** utilizes gravity to keep every sheet in place, for consistent hole placement even on thicker document sets. **Disengageable punch pins** offer flexibility for a variety of paper sizes, and are specially hardened for longevity. The **lever-activated comb open/close mechanism** ensures a secure bind on booklets up to 480 sheets.



Easy Access to Punch Pins
Disengage selected pins to prevent partially punched holes. No tools required.




Precision Vertical Punching
Top loading for professional hole placement accuracy



Quick-Adjust Binding Dimensions
Change settings in seconds to ensure the perfect bind.



Precision Closure Control
Quick, easy comb opening and closure for up to 480 sheets



Page Size Adjustment Knob
Easily change paper size in less than one second.



Foot Pedal Activation
Convenient, efficient foot pedal keeps production moving quickly

STANDARD FEATURES

- Heavy duty all-metal construction
- Specially hardened punch pins for longevity
- Precision vertical punching
- Disengageable punch pins for flexibility
- Adjustable depth gauge
- Binds up to 480 sheets
- Electric, foot-pedal activated punch
- Closure control adjustment
- Manual lever-controlled binding
- Easy-empty sliding waste tray

SPECIFICATIONS

Punching Speed	Up to 16,000 sheets/hr
Punching Width	.39" - 13.4" (10 - 340mm)
Unpunched Length	1.96" - 19.6" (50 - 500mm)
Max. Punching Thickness	Up to 0.098" (2.5mm)
Punching Operation	Electric, foot pedal
Punch Hole Dimensions	Rectangular 8.0 x 3.0mm
Pitch	US
Disengageable Punch Pins	Yes
Variable Margin Depth	Yes
Binding Thickness	.04" - 1.88" (1 - 48mm)
Sheets Per Booklet	Up to 480 sheets
Comb Size	1/4" - 2" (6 - 52mm)
Binding Operation	Manual, lever operated
Binding Speed	Up to 200 booklets/hr
Dimensions	20" W x 14" D x 9 3/4" H (508 x 355 x 247mm)
Weight	57 lbs. (26kg)
Power Supply	115V, 60Hz, 90W